



SAFETY DATA SHEET: Oral Fluid Drugs of Abuse Calibrators and Controls

SECTION 1: PRODUCT & SUPPLIER IDENTIFICATION

Lin-Zhi International, Inc. (LZI)

Company Address:	2945 Oakmead Village Court Santa Clara, CA 95051	Company Telephone:	(408) 970-8811
		Company Fax:	(408) 970-9030
		Customer Email:	customerservice@lin-zhi.com
		Company Website:	www.lin-zhi.com

Product Name: Oral Fluid Drugs of Abuse (OF) Calibrators and Controls

Reference Number:	S0002	OF Recovery Buffer**
	S0008	OF LIS Negative Calibrator**
	S0007d	OF LC Negative Calibrator**
	S0143b, S0145b, S0147b, S0148b	OF Barbiturate**
	S0133c, S0135c, S0137c, S0138c	OF Benzodiazepine**
	S0033d, S0034d, S0035d, S0036d, S0037d, S0038d	OF Cocaine Metabolite**
	S0233, S0235, S0237, S0238	OF Cotinine*
	S0163, S0165, S0167, S0168	OF Ecstasy (MDMA)**
	S0223, S0226, S0227, S0228	OF Ethyl Alcohol**
	S0113c, S0115c, S0117c, S0118c	OF Methadone**
	S0193, S0195, S0197, S0198	OF Methadone Metabolite (EDDP)**
	S0022c, S0023c, S0024c, S0025c, S0027c, S0028c	OF Opiate**
	S0242b, S0243b, S0244b, S0245b, S0247b, S0248b	OF Oxycodone**
	S0012c, S0013c, S0014c, S0015c, S0017c, S0018c	OF Phencyclidine**
	S0123c, S0125c, S0127c, S0128c	OF Propoxyphene**
	S0072, S0073, S0075, S0077, S0078	OF THC (Cannabinoid)**
	* For Employment and Insurance Testing Use Only	
	** For Forensic Use Only	

Description: Buffer based calibrators and controls for use in combination with drugs of abuse oral fluid enzyme immunoassay (EIA) and enzymatic assay diagnostic reagents for employment and insurance testing use or forensic use only. *Not for In Vitro Diagnostic Use.* The products are contained in dropper bottles and packaged in small boxes. For further information, please go to product insert link included inside of the assay box or go to www.lin-zhi.com for the product inserts specifically for calibrators and/or controls.

SECTION 2: HAZARDS IDENTIFICATION

Classification: The product is not considered a hazardous mixture. It contains a trace amount (< 0.1 % w/v) of sodium azide (NaN₃, CAS 26628-22-8) or a trace amount (< 0.1 % w/v) of the active ingredients of ProClin™ 300 (C₄H₄CINOS, CAS 26172-55-4 and C₄H₅NOS, CAS 2682-20-4) added as a preservative. Trace amounts of acids and bases have been used only during product processing and to balance the pH of the product. Testing of the product itself has not been performed to determine health hazards. The product does not contain carcinogens.

Labeling: The product label either states the product contains sodium azide or ProClin 300 as preservative.

Symbol: N/A

Hazard Statement: N/A

Precautionary Although either sodium azide is only < 0.1 % w/v of the product or the active ingredients of



SAFETY DATA SHEET: Oral Fluid Drugs of Abuse Calibrators and Controls

Statements: ProClin 300 are <0.1 % w/v of the product, the Precautions and Warning section of the product insert states:

- *Harmful if swallowed.*
- *The calibrators / controls contain sodium azide, which may react with lead or copper plumbing to form potentially explosive metal azide. When disposing such liquids always flush with a large volume of water to prevent azide build-up. See Sodium Azide in the National Institute for Occupational Safety (NIOSH). Pocket Guide to Chemical Hazards. Third Printing, September 2007. (<https://www.cdc.gov/niosh/npg/default.html>) OR The calibrators / controls contain ProClin 300, an ingredient which may be harmful if there is direct exposure. However, this presents no health hazards at the low concentration levels in the products.*
- *The calibrators / controls are prepared from non-sterile synthetic oral fluid matrix. Always apply good laboratory practice to avoid any skin contact or ingestion.*
- *Do not use the calibrators / controls beyond their expiration dates.*

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

There is no hazardous ingredient present in the product which is above its appropriate cutoff levels according to the Globally Harmonized System (GHS). The cutoff level for ingredients causing respiration/skin sensitization, reproductive toxicity, carcinogenicity, and category 1 mutagenicity is ≥ 0.1 %. The cutoff level for all other hazard classes is ≥ 1 %. Therefore no components need to be disclosed according the applicable regulations.

SECTION 4: FIRST AID MEASURES

Potential Routes of Exposure: Skin contact, eye contact, and accidental ingestion. Inhalation is highly unlikely.
Skin contact: Wash affected area thoroughly with soap and water. Remove contaminated clothing and shoes.
Eye contact: Flush with plenty of water for at least 15 minutes.
Ingestion: If swallowed, wash out mouth with water and drink plenty of water.
If adverse symptoms are experienced, contact a physician as a precautionary measure.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Typical media is suitable.
Unsuitable extinguishing media: None are known.
Specific hazards in case of fire: None are known.
Special protective equipment and precaution for fire fighters: Use the typical equipment and precautions. There is a recommendation to wear self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: If the liquid product is spilled, take the proper precautions to minimize exposure to it by wearing the appropriate personal protective equipment (PPE).
Cleaning Methods: Quarantine the spill area and minimize spreading of spilled liquid. Soak up the liquid with a suitable absorbent material such as a mat pad. Clean the spill area thoroughly with soap and water. When disposing of the product by means of plumbing, always flush with a large volume of water to prevent long-term sodium azide accumulation in the metal plumbing. Observe and obey federal, state, and local laws and ordinances regarding proper disposal practices.
Environmental Precautions: Collect the spilled liquid, absorbent material, and rinse water into suitable containers for proper disposal in accordance with applicable waste disposal regulations. Prevent runoff into sewers, storm drains, surface waters, and soil.



SAFETY DATA SHEET: Oral Fluid Drugs of Abuse Calibrators and Controls

SECTION 7: HANDLING AND STORAGE

Handling: Wear PPE such as gloves, lab coats, and safety glasses as necessary. Avoid contact with eyes or skin.
Storage: Keep the product tightly closed. Store at 2-8°C. Do not expose to extreme temperatures.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Occupational Exposure Limits: There are no established exposure limits for this product.
Personal Protective Equipment (PPE)
Eye Protection: Wear safety glasses with side shields. Have eye wash stations available as a precaution.
Skin Protection: Wear lab coat over clothing and gloves.
Respiratory Protection: Inhalation is unlikely.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

	<u>Calibrators</u>	<u>Controls</u>
<i>Physical state:</i>	Liquid	Liquid
<i>Appearance:</i>	Transparent	Transparent
<i>Odor</i>	No odor	No odor
<i>pH:</i>	~6.0 to 7.6	~6.0 to 7.6
<i>Flammable Liquid:</i>	No	No
<i>Solubility:</i>	Soluble in Water	Soluble in Water
<i>Specific Gravity:</i>	~1.0	~1.0

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of use.
Possibility of hazardous reactions: Although sodium azide is < 0.1 % w/v in some of the products, sodium azide build up may occur over time in metal plumbing if the product is not properly disposed, leading to explosive and shock sensitive components. An extra precaution is to schedule a routine assessment of the plumbing system.
Conditions to Avoid: Sodium azide build up in metal plumbing may be avoided by flushing the product with a large volume of water when disposing of it. Additionally, introducing the product to acidic conditions below a pH of 4.8 should be avoided.
Materials to Avoid: None are known.
Hazardous Decomposition Products: None are known.

SECTION 11: TOXICOLOGICAL INFORMATION

Skin (Irritancy and Acute Toxicity): No data is available.
Eye (Irritancy and Acute Toxicity): No data is available.
Ingestion: No data is available.
Chronic Toxicity (Target Organ Effects): No data is available.
Mutagenicity: No data is available.
Inhalation: No data is available. Low risk of inhalation.

SECTION 12: ECOLOGICAL INFORMATION

Persistence and Degradability: No data is available.
Bio-accumulative potential: No data is available.
Mobility: No data is available.
Aquatic Toxicity: No data is available.



SAFETY DATA SHEET: Oral Fluid Drugs of Abuse Calibrators and Controls

SECTION 13: DISPOSAL CONSIDERATION

The proper disposal method consists of running a large volume of water with the disposal of the product and/or product wastes in order to prevent sodium azide buildup in metal plumbing. Dispose of the product separately from other waste materials. Follow applicable local, state, and federal regulations for disposal, as some guidelines may require more precautionary measures for disposal of dilute sodium azide liquids, such as segregation of the waste products and treatment.

SECTION 14: TRANSPORT INFORMATION

These goods are not hazardous for transport and are not regulated by IATA.

Proper Shipping Name: None assigned

Hazard Class: None assigned

Packing Group: N/A

Marine Pollutant: No

Note: These are perishable, liquid products. The products are packed with ice to maintain an approximately 2-8°C temperature range during transit.

SECTION 15: REGULATORY INFORMATION

The regulatory data in this section is not intended to be all-inclusive, only a selected regulation is represented.

European Inventory of Existing Commercial Chemical Substances / European List of Notified Chemical Substances (EINECS / ELINCS) No. for Sodium Azide: 247-852-1.

2001/59/EC Index No. for ProClin 300: 613-167-00-5.

SECTION 16: OTHER INFORMATION

SDS Revision: 0

SDS Preparation Date: March 05, 2020

Disclaimer: This information is accurate to the best of LZI's knowledge. Since the products may be used under conditions beyond the company's control, LZI does not assume any responsibility for the results of such usage. With the information provided on this SDS, customers receiving LZI products shall make their own determination of the effects, properties, and measures pertaining to their usage conditions. No warranty or guarantee, expressed or implied, is made concerning the safe use of this product.